## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7	*439"/\$.ccls. and ultrasonic adj weld\$4 and crimp \$3 and splic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/09 15:19
æ	26	439"/\$.ccls. and weld\$4 and crimp\$3 and splic \$3 and (separable or removable or semi adj permanent or detachable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:27
S3	58	"439"/\$.ccls. and weld\$4 and crimp\$3 and splic \$3 not S1 not S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/09 15:47
S4	38	*439"/\$.cols. and ultrasonic adj weld\$4 and orimp \$3 and cable and housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:15
S5	14	"439"/\$.ccls. and ultrasonic adj weld\$4 and crimp \$3 and cable not ("439"/\$.ccls. and ultrasonic adj weld\$4 and crimp\$3 and cable and housing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/28 16:45
S6	42	"439"/\$.cols. and ultrasonic adj weld\$4 and crimp \$3 not ("439"/\$.cols. and ultrasonic adj weld\$4 and crimp\$3 and cable and housing) not ("439"/ \$.cols. and ultrasonic adj weld\$4 and crimp\$3 and cable not ("439"/\$.cols. and ultrasonic adj weld\$4 and crimp\$3 and cable and housing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/09 15:13
S7	306	[439] S. cois. and weld\$4 and crimp\$3 and cable and housing not ('4399'\\$c.ois. and ultrasonic adj weld\$4 and crimp\$3 and cable and housing in ref. (4399'\\$c.ois. and ultrasonic adj weld\$4 and crimp\$3 and cable not ('4399'\\$c.ois. and crimp\$3 and cable not ('4399'\\$c.ois. and ultrasonic adj weld\$4 and crimp\$3 and cable and housing) in oil ('4399'\\$c.ois. and ultrasonic adj weld\$4 and crimp\$3 and cable and housing) not ('4399'\\$c.ois. and ultrasonic adj weld\$4 and crimp\$3 and cable and housing) in oil ('4399'\\$c.ois. and ultrasonic adj weld\$4 and crimp\$3 and cable and housing) in the properties of th	US-PGPUB; USPAT; EPO; JPO; JPO; DERWENT; IBM_TDB	OA OA	ON	2003/02/28 16:49

S8	25	"439"/S.ccis. and splice and weld\$4 and crimp\$3 and cable and housing not ("439"/\$.ccis. and ultrasonic adj weld\$4 and crimp\$3 and cable and housing) not ("439"/\$.ccis. and ultrasonic adj weld\$4 and crimp\$3 and cable and weld\$4 and crimp\$3 and cable and housing) in not ("439"/\$.ccis. and ultrasonic adj weld\$4 and crimp\$3 and cable and housing) in not ("439"/\$.ccis. and ultrasonic adj weld\$4 and crimp\$3 and cable and housing) in not ("439"/\$.ccis. and ultrasonic adj weld\$4 and crimp\$3 and cable and housing) in not ("439"/\$.ccis. and ultrasonic adj weld\$4 and crimp\$3 and cable and housing) in the contrasonic adj weld\$4 and crimp\$3 and cable and housing) in the contrasonic adj weld\$4 and crimp\$3 and cable and housing) i)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/28 16:49
S9	2	(°6,254,421°).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/03 17:03
S10	3	(*4,214,805*). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/03 17:03
S11	2	(*5,860,829*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/03 17:04
S12	2	(*5,989,057*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/03 17:04
S13	4	(°3,708,779°).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/03 17:05
S14	2	(("5,961,341") or ("U5-4,047,784") or ("U5-6,027,362")).FNL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/03 17:05
S15	2	(°4,047,784°).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/03 17:05
S16	2	("6,027,362").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/03 17:07

S17	2	("4717360").PN.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/03 17:07
S18	1	"439"/\$.cds. and (T-weld\$4 or (T adj2 weld\$4)) and crimp\$3 and cable and housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:16
S19	6	"439"/\$.cols. and (T-weld\$4 or (T adj2 weld\$4)) not S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:18
S20	0	"439"/\$.cols. and (T-weld\$4 or (T adj weld\$4)) not S18 not S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:20
S21	15	"29"/\$.ocls. and (T-weld\$4 or (T adj weld\$4)) not S18 not S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:37
\$22	41	(T-weld\$4) not S18 not S19 not S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 19:07
S23	0	(T-weld\$4 or tee-weld) and (break\$4 or separa \$6) not "1" not "2" not "4"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 19:08
S24	1	"439"/\$.ccis. and (T-weld\$4 or (T adj2 weld\$4)) and crimp\$3 and cable and housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/02/14 19:08
\$25	6	"439"/\$.cols. and (T-weld\$4 or (T adj2 weld\$4)) not \$24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/02/14 19:08
\$26	15	"29"/\$.cds. and (T-weld\$4 or (T adj weld\$4)) not \$24 not \$25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 19:08
S27	41	(T-weld\$4) not \$24 not \$25 not \$26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 19:08
S28	22	(T-weld\$4 or tee-weld) and (break\$4 or separa \$6) and \$27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 19:08

\$29	12	(T-weld\$4 or (T adj weld\$4) or (ultrasonic adj weld\$4)) adj3 (separable or removable or (semi adj permanent) or detachable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:29
\$30	62	"439"/\$.ccls. and (T-weld\$4 or (T adj2 weld\$4) or ultrasonic adj weld\$3) same (remov\$4 or break \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:31
S31	7	"439"/\$.cols. and (T-weld\$4 or (T adj2 weld\$4) or ultrasonic adj weld\$3) near10 (remov\$4 or break\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 15:39
S32	11	(T-weld\$4 or (T adj2 weld\$4)) near15 (remov\$4 or break\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:53
S33	О	(T-weld\$4) near10 (separa\$4 or break\$4) and (connector or contact or cable or terminal or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:39
S34	1	(T-weld\$4) near15 (separa\$4 or break\$4) and (connector or contact or cable or terminal or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:57
835	50	IUS-4429455.\$ or US-57306-\$ or US-5733154-\$ or US-98733-\$ or US-599768-\$ or US-520620-\$ or US-5206408-\$ or US-52068-\$ or US-5206408-\$ or US-5206408-\$ or US-5206408-\$ or US-52068-\$ or US-	USPAT	OR .	OFF	2006/02/23 11:44
\$36	5	S35 and weld\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:47
\$37	7	(T-weld\$4 or (T adj2 weld\$4)) near15 (connector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:56

S38	833	(ultrasonic adj2 weld\$4) near15 (separa\$4 or break\$4) and (connector or contact or cable or terminal or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:58
S39	332	(ultrasonic adj2 weld\$4) near5 (separa\$4 or break\$4) and (connector or contact or cable or terminal or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:59
S40	235	(ultrasonic adj2 weld\$4) near5 (separa\$4 or break\$4) and (connector or contact or cable or terminal or pin) not "2006".ay. not "2005".ay. not "2004".ay. not "2003".ay. not "2002".ay.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 12:08
S41	31	(ultrasonic adj2 weld\$4) near (separa\$4 or break \$4) and (connector or contact or cable or terminal or pin) not "2006".ay. not "2005".ay. not "2004".ay. not "2003".ay. not "2002".ay.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 12:12
S42	8	(ultrasonic adj2 weld\$4) near (break\$4) and (connector or contact or cable or terminal or pin) not "2006".ay. not "2005".ay. not "2004".ay. not "2003".ay. not "2002".ay.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 12:12
S43	0	(breakeable ultrasonic weld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/11/12 18:16
S44	103	(break\$4 ultrasonic weld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/11/12 18:10
\$45	166	(break\$4 ultrasonic weld\$4) not \$44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/11/12 18:10
S46	16	(breakable ultrasonic weld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/11/12 18:22
S47	2	("4011961").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 18:18
S48	6	(separable ultrasonic weld) not S44 not S45 not S46 not S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/11/12 18:24

S49	1371	403/271-272.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/11/12 18:25
S50	1855	228/1.1,110.1.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/11/12 18:25
\$51	1959	156/73.1,580.1.cols.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/11/12 18:26
S52	682	29/857.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/11/12 18:27
S53	5592	S49 S50 S51 S52	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 18:27
354	1472	S53 and ultrasonic weld\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/11/12 18:28
955	265	S53 and ultrasonic weld\$4 same (break\$4 or separ\$4 or non-permanent or (non permanent) or semi-permanent or (semi permanent))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/11/12 18:31
S56	527	439/401,403,417.cols.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/06/03 20:57
S57	41	439/401,403,417.ccls.	US-PGPUB	WITH	ON	2008/06/03 20:57
S58	488	29/825,860,861,863,857.cds.	US-PGPUB	WITH	ON	2008/06/03 20:58
S59	4312	29/825,860,861,863,857.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/06/03 20:58

S60	4986	403/271-272;228/1.1,110.1;156/73.1,580.1.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/06/03 20:59
S61	435	403/271-272;228/1.1,110.1;156/73.1,580.1.ccls.	US-PGPUB	WITH	ON	2008/06/03 20:59
S62	3062	439/405,442,499,874,875,402,404-405,719,942. locls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/06/03 21:04
S63	227	439/405,442,499,874,875,402,404-405,719,942. ccls.	US-PGPUB	WITH	ON	2008/06/03 21:04
S64	127	(ultrasonic weld\$4 connector housing).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/03 21:06
S65	50	(ultrasonic weld\$4 connector housing).clm.	US-PGPUB	AND	ON	2008/06/03 21:07

<sup>6/5/08 4:53:47</sup> PM

C:\ Documents and Settings\ eleon\ My Documents\ EAST\ workspaces\ 09963720.wsp